



Flashlight Nitecore TM03, 2800lm

Flashlight Nitecore TM03, 2800lm

Ref: 6952506406975

Flashlight Nitecore TM03, 2800lm

The Nitecore HC60M V2 headlamp has been specially designed for law enforcement, soldiers, firefighters, and rescuers. It features NVG mounting for quick attachment to compatible helmets. With a brightness of up to 1200 lumens and an IPX7 waterproof rating, it performs exceptionally well in various scenarios. It boasts a runtime of up to 680 hours, and the built-in button allows for convenient switching between 5 brightness levels and 3 modes.

The Lighting You Need

The headlamp is equipped with a high-quality OSRAM P9 LED, allowing it to provide a brightness of up to 1200 lumens and a range of up to 130 meters. This means it performs exceptionally well in various scenarios, from search and rescue operations to film production work. It also offers a maximum beam intensity of 4240 cd. Moreover, the headlamp has a wide 100° beam angle, allowing you to see more. Ensure optimal lighting regardless of the conditions!

Shine Your Way

Customize the headlamp's performance to your expectations or the situation's requirements. The HC60M V2 model allows you to choose from 5 brightness levels, including turbo, high, medium, low, and very low brightness. You also have access to 3 special modes - strobe, signal, and SOS. This allows you to easily provide the exact lighting you need, and if necessary, draw attention to yourself or dazzle a

potential attacker.

Various Power Options

The headlamp is powered by a single 18650 Li-Ion battery, which is included in the package. With a capacity of 3400mAh, it provides a runtime of up to 680 hours (in very low-light mode). You no longer have to worry about running out of light at the most inconvenient moment! Convenient battery charging is facilitated by the built-in USB-C port. Alternatively, you can power the headlamp using two CR123 batteries (not included).

Enhanced Design

The headlamp is constructed from aerospace-grade aluminum alloy and features hard anodizing (military-grade HA III). This makes the device exceptionally durable - even a drop from a height of up to 1 meter poses no threat. The HC60M V2 model is also waterproof according to the IPX7 standard, allowing you to use it in the rain without worry. You can freely adjust the angle of the headlamp within a 180° range. Furthermore, the product utilizes the patented temperature regulation module ATR.

In the box

HC60M V2 Headlamp

18650 Li-Ion Battery (NL1834, 3400mAh)

Spare O-ring

USB-C Charging Cable

Spare Switch Cover

Brand

Nitecore

Model

HC60M V2

Color

Black

Brightness

Turbo: 1200 lm;

High: 450 lm;

Medium: 250 lm;

Low: 40 lm;

Very Low: 1 lm;

Strobe: 1200 lm;

Signal: 1200 lm;

SOS: 1200 lm;

Range

Turbo: up to 130 m;

High: up to 78 m;

Medium: up to 56 m;

Low: up to 28 m;

Very Low: up to 3 m;

Luminous Intensity

Turbo: 4240 cd;

High: 1550 cd;

Medium: 780 cd;

Low: 200 cd;

Very Low: 3 cd;

Runtime

Turbo: up to 45 min;

High: up to 2 h 15 min;

Medium: up to 6 h 30 min;

Low: up to 26 h;

Very Low: up to 680 h;

Power Source

1x 18650 Li-Ion battery / 2x CR123 batteries

Charging Port

USB-C

Drop Resistance

Up to 1 m

Waterproof

IPX7

Dimensions

84 x 50 x 46 mm (including NVG mount)

Weight

82 g (including NVG mount, without battery)

Price:

€ 57.00

Outdoor, Flashlights, Head flashlights