



Hobotest HT127B Digital Universal Multimeter

Ref: 5907489609425

Hobotest HT127B Digital Universal Multimeter

Hobotest HT127B digital universal multimeter

Hobotest HT127B digital multimeter is a multifunctional device that will prove useful during electrical work. The product allows you to measure voltage, resistance, capacitance and many other parameters. The multimeter has an easy-to-read display that allows you to conveniently read the measurement results, plus it is equipped with a flashlight and practical buttons.

Many useful functions

Hobotest HT127B digital universal multimeter is a handy device that surprises with the enormity of its capabilities. It allows you to measure with high precision AC and DC voltage and current, resistance, temperature or capacitance, among others. In addition, it offers a Live Test function, enables diode testing, non-contact voltage detection (NCV) and much more. Importantly, the multimeter has practical buttons with which you can efficiently select a function.

Well designed

Thanks to its small size (71.5 x 26 x 145 mm), the device fits well in the hand and provides high comfort. It is powered by four AAA batteries, which you can easily remove and replace. The soft material case is pleasant to the touch, plus it provides effective insulation and is drop-resistant.

Included
Digital universal multimeter
Test leads
User's manual
Manufacturer
Hobotest
Model
HT127B
DC voltage measurement range
600mV/6V/60V/600V
AC voltage measurement range
6V/60V/600V
DC current measurement range
600mA/ 10A
AC current measurement range
600mA/ 10A
Resistance measurement range
600 Ω /6k Ω /60k Ω /600k Ω /6M Ω /60M Ω
Capacitance measurement range
6nF/60nF/600nF/6 μ F/60 μ F/600 μ F/6mF
Frequency measurement range
60Hz/600Hz/6kHz/60kHz/600kHz/6MHz/10MHz
Fill factor measurement range
1.0~99.0%
Temperature ($^{\circ}$ C/ $^{\circ}$ F)
-40 $^{\circ}$ C ~ 1000 $^{\circ}$ C / -40 $^{\circ}$ F ~ 1832 $^{\circ}$ F
Diode testing
Yes, 0~3V
NCV
Yes, audible and light alarm
Live test
Yes, audible and light alarm
Continuity
<50 Ω
Number of counts
6000
Display
VA
Data storage
Yes
True RMS value
Yes
Blown fuse indication function
Yes
Low battery indicator
Yes
Automatic power off
Yes

Jack input port indicator

Yes

Backlighting

Yes

Flashlight

Yes

Power supply

4x 1.5V AAA battery

Safety

EN61010-1, CAT III 600V

Dimensions

145 x 71.5 x 26 mm

Price:

€ 35.01

Tools, Measuring tools, Electric meters