



Gasoline generator Deko Tools DKGG3215C, 220V

Ref: 6975495582413

Gasoline generator Deko Tools DKGG3215C, 220V

Deko Tools DKGG3215C, 220V gasoline generator set

Do you need an additional power source? The Deko Tools DKGG3215C generator set will be an excellent choice. This device is distinguished by a high maximum power of up to 3 kW and a reliable 4-stroke OHV engine. In addition, it has been equipped with a large fuel tank with a capacity of 15 liters. The equipment will generate electricity for a long time, as the average fuel consumption is only 0.6l/1h. The Deko Tools generator will be your emergency power source.

Great power

The maximum power of the Deko Tools generator is 3 kW, so it will be an excellent source of emergency power. What's more, it is equipped with an AVR system to ensure your comfort. This means that the unit will automatically regulate the voltage in the range of 220-240V.

Powerful engine

A 2-stroke gasoline engine with a carburetor is responsible for the reliable and efficient operation of the aggregator. In addition, the unit can work for up to 25 hours, as its fuel tank has a capacity of 15 liters, and the average fuel consumption is 0.6l/1h. The Deko Tools aggregator is recommended to use a 5W-30 hopper.

Convenient use



The DKGG3215C generator set stands out not only for its functionality, but also for its convenience. It offers coil starting, and it is equipped with 2 230V outlets so that you can connect more devices to it. It is quite quiet, as its noise level is 75-80 dB.

Safety Guarantee

With Deko Tools you get a safety guarantee. The device is equipped with an air cooling system, so you no longer have to worry about the device overheating. For added protection, it also has short-circuit protection for the power socket and an IP23 waterproof rating. This means you can also use it in bad weather.

Included

- 2 x VDE spark plugs
- 1 x spark plug replacement tool
- 1 x 12-volt charging cable

Specification:

- Producer
- Deko Tools
- Model
- DKGG3215CE
- Engine type
- Single cylinder, air-cooled, OHV, 4-stroke gasoline engine with carburetor, copper winding
- Rated voltage / frequency
- 220 V - 240 V ~50 Hz
- Maximum power
- 3 kW
- Rated power
- 2.8 kW
- DC output
- 12 V / 8.3 A
- Rated speed
- 3000 rpm
- Starting system
- solenoid
- Fuel tank capacity
- 15 l
- Engine oil tank capacity
- 0,5 l
- Ignition system
- TCL
- Weight
- 40 kg
- Operating time
- up to 25 hours
- Recommended oil
- 5W-30

```
.table-wrapper{width:100%;overflow-x:auto}.table-wrapper>table{border-spacing:0}.table-wrapper>table>tbody>tr>td,.table-wrapper>table>tbody>tr>th{padding:10px 35px;text-align:left}.table-wrapper>table>tbody>tr>th{vertical-align:top}.table-wrapper>table>tbody>tr:nth-child(even){background-color:#f7f7f7}
```



Price:

€ 178.01

Tools, Generator

