



## Gas Leak Detector with Alarm Habotest HT601B

Gas Leak Detector with Alarm Habotest HT601B

Ref: 5907489606707

Habotest HT601B gas leak detector

The Habotest gas leak detector is characterized by high sensitivity and accuracy. With its help, you will quickly make a measurement, the result of which will be displayed on a clear, color LCD screen. HT601B also has a sound alarm. The HT601B is handy and durable - it will prove useful in many applications. It requires 3 AAA 1.5V batteries, which must be purchased separately.

Fast, accurate, versatile

The device provides a very fast response, and thanks to its extremely sensitive sensor, it can operate with an accuracy of up to  $\pm 10$  F.S. It detects leaks of several different gases, such as methane, carbon monoxide, hexane and acetylene, among others. So you will use it in many ways.

Clear LCD screen

The colorful HD display makes working with the device much easier. You will find there, among other things, measurement results presented digitally and in the form of a bar chart, as well as a low battery indicator. The screen is very clear and will provide you with convenient access to the most important information.

The reliable device you need

The detector is lightweight, compact and fits perfectly in your hand. It is made in such a way that it can serve you perfectly for many years. Durable, hard wearing and not prone to damage - it will surprise you with its reliable performance. It is also easy to transport - you can safely take it with you wherever you need it.

It will also measure the ambient temperature

HT601B also has a temperature measurement function. You can also choose the unit - available options are °C and °F. This multifunctional device provides you with a lot of useful information. It can therefore become an invaluable tool in your everyday life.

Brand

Habotest

Model

HT601A

HT601B

Range

0-9999PPM/0.00-20.00%LEL

0-9999PPM/0.00-20.00%LEL

Detected gases

Combustible gas

Combustible gas

Accuracy

Not applicable

≤10% FS (Methane)

Sensitivity

<50PPM (Methane)

<50PPM (Methane)

Response time

<2s

<2s

Warm-up time

About 30s

About 30s

Display of measurement results

Bargraph

Digit + bargraph

Alarm

Visual and audible

Visual and audible

Auto/manual zero

Auto zero

Auto or manual zero

Auto power off

Yes

Yes

Low battery indication

Yes

Yes

Flexible probe

About 16 inches

About 16 inches

Power supply

3x AAA 1.5V battery (included)

3x AAA 1.5V battery (included)

Weight

About 350g

About 350g

Dimensions

225x60x33mm

225x60x33mm

Price:

**€ 60.50**

Tools, Measuring tools, Electric meters