



Computer case Darkflash DK150 with 3 fans (white)

Computer case Darkflash DK150 with 3 fans (white)

Ref: 4710343793892

Darkflash DK150 computer chassis

The Darkflash DK150 computer case can support up to 4 hard drives and up to 7 fans. It is equipped with two USB 2.0 and one USB 3.0 ports, which are located at the top of the case together with the power button and the audio ports also. The mesh front panel gives it a modern look and ensures an efficient heat dissipation, while the tempered glass side allows you to take a look inside the computer. The product also offers 7 additional expansion slots. The set includes the case and 3 fans.

Thoughtful design

The case design has been refined down to the last detail. In its front part, there is a stylish mesh that not only looks really modern, but also provides better heat dissipation. The side panel of the product is made of tempered glass and is very easy to install thanks to wing screws. This allows you to install the individual parts conveniently and provides an overview of the computer's interior.

Built-in ports and buttons

Build Your Dream Computer. The case supports up to 160mm CPU and 290mm GPU. You can easily install 2 HDD and 2 SSD or 1 HDD and 3 SSD. The space for the PSU is located at the bottom of the case. The case supports ATX, M-ATX and ITX motherboards. It is also equipped with 7 expansion slots for mounting additional components.

Mobilemax - Gadgets and Accessories Rua Vasco da Gama n61, 8005-411, Estoi - Faro, Portugal (Continente) Telefone: +351962484153 (Chamada para rede móvel nacional) Email: info@mobilemax.pt



Freely assemble selected elements

Mount your dream computer. The case supports a CPU up to 160mm and a GPU up to 290mm. You can successfully install 2 HDD and 2 SSD or 1 HDD and 3 SSD. The space for the PSU is located at the bottom of the case. The case supports ATX, M-ATX and ITX motherboards. It is also equipped with 7 expansion slots that allow you to mount additional components. Each of them can be used only once.

Effective cooling

Take care of the optimal cooling of your PC. You can install one 120mm fan at the back of the case, 2 120mm fans at the top, and 3 120mm fans or a radiator up to 360mm at the front. To help you assemble your PC and create an effective cooling system, 3 fans are included.

Darkflash Model DK150 Type Mid Tower Dimensions 370 x 206 x 432 mm Compatible motherboards ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: up to 360mm; Cooling installation options Fr	Brand
DK150TypeMid TowerDimensions370 x 206 x 432 mmCompatible motherboardsATX, M-ATX, ITXHDD mounting options2 or 1SSD mounting options2 or 3Extra compartments7Max. VGA length290mmMax. CPU height160mmPower sourceBottom Mount, ATXCompatible heat sink systemsRear: up to 120mm;Front: up to 360mm;Colling installation optionsI/OVISFront: Ston m water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2I/OKS	Darkflash
Type Mid Tower Dimensions 370 x 206 x 432 mm Compatible motherboards ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 300 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O Front: 30 x 1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	Model
Mid Tower Dimensions 370 x 206 x 432 mm Compatible motherboards ATX, V206 x 432 mm Compatible motherboards ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	DK150
Dimensions 370 x 206 x 432 mm Compatible motherboards ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	Туре
370 x 206 x 432 mmCompatible motherboardsATX, M-ATX, ITXHDD mounting options2 or 1SSD mounting options2 or 3Extra compartments7Max. VGA length290mmMax. CPU height160mmPower sourceBottom Mount, ATXCompatible heat sink systemsRear: up to 120mm;Front: up to 360mm;Cooling installation optionsFront: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2I/OUSB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, ResetFront: panelABS	Mid Tower
Compatible motherboards ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	Dimensions
ATX, M-ATX, ITX HDD mounting options 2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	370 x 206 x 432 mm
HDD mounting options2 or 1SSD mounting options2 or 3Extra compartments7Max. VGA length290mmMax. CPU height160mmPower sourceBottom Mount, ATXCompatible heat sink systemsRear: up to 120mm;Front: up to 360mm;Cooling installation optionsFront: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2I/OUSB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, ResetFront panelABS	Compatible motherboards
2 or 1 SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	ATX, M-ATX, ITX
SSD mounting options 2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	HDD mounting options
2 or 3 Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	2 or 1
Extra compartments 7 Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
7Max. VGA length290mmMax. CPU height160mmPower sourceBottom Mount, ATXCompatible heat sink systemsRear: up to 120mm;Front: up to 360mm;Coling installation optionsFront: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2I/OUSB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, ResetFront panelABS	2 or 3
Max. VGA length 290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	Extra compartments
290mm Max. CPU height 160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Max. CPU height160mmPower sourceBottom Mount, ATXCompatible heat sink systemsRear: up to 120mm;Front: up to 360mm;Cooling installation optionsFront: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2I/OUSB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, ResetFront panelABS	
160mm Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Power source Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Bottom Mount, ATX Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Compatible heat sink systems Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Rear: up to 120mm; Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Front: up to 360mm; Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Cooling installation options Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Front: 360 mm water cooling / 120 mm fan x3Rear: 120 mm water cooling / 120 mm fan x1Top: 120 mm fan x2 I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
I/O USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
USB 3.0 x1, USB 2.0 x2, HD Audio, Power Button, Reset Front panel ABS	
Front panel ABS	
ABS	
	Left panel
Tempered glass	

Preço:

€ 50.00

Telefone: +351962484153 (Chamada para rede móvel nacional) Email: info@mobilemax.pt



Jogos, PC Cases