



Smart Alarm Siren ZigBee NEO NAS-AB02W TUYA 100dB Smart Alarm Siren ZigBee NEO NAS-AB02W TUYA 100dB

ZigBee NEO NAS-AB02W TUYA 100 dB Alarm Siren

The ZigBee NEO NAS-AB02W TUYA alarm siren ensures safety and comfort in every home. Equipped with temperature and humidity sensors, and with the ability for remote control via a mobile application, it is an indispensable element of a smart home. In case of abnormalities, it generates a sound signal of up to 100 dB and activates flashing LED lights. You will also receive appropriate notifications. Its compact design and aesthetic appearance make it seamlessly blend into any interior.

Ref: 6924715901053

Telefone: +351962484153

Email: info@mobilemax.pt

(Chamada para rede móvel nacional)

Easy Installation and Compact Design

Forget about complicated alarm systems. NEO offers simple and intuitive solutions that allow you to enjoy safety without unnecessary complications. To use the alarm siren, simply go through an undemanding, 3-step connection process – connect to Wi-Fi 2.4 GHz, download the application, and add devices. Plug and Play operation further eliminates the need for installing drivers or performing time-consuming configurations. Additionally, its compact dimensions (65 \times 65 \times 30 mm) and elegant design make the siren blend perfectly with interior decor.

Dual Power Supply for Reliability

Safety cannot rely on a single power source, which is why the NEO NAS-AB02W TUYA siren can be powered in two ways – via a mini USB cable or batteries (2x CR123A). This solution ensures the device's continuous operation even in the event of a power outage. Note:



batteries are not included and must be purchased separately.

Smartphone Control

You can remotely control the NEO NAS-AB02W TUYA siren and monitor the situation at home from anywhere in the world via the mobile application. Receive notifications and manage the alarm system with just a few clicks, enjoying peace of mind and a sense of security. The application also allows you to customize settings – you can easily select the desired temperature and humidity levels, and when exceeded, you will be promptly informed.

Support for Multiple Platforms and Integration with Smart Home

The NEO NAS-AB02W TUYA alarm siren works with major smart home platforms such as Tuya Smart, Amazon Alexa, Google Assistant, and Tmall Genie. As a result, it offers many integration and customization possibilities, allowing you to create smart scenarios and manage various devices within one ecosystem.

Environmental Conditions Monitoring

Temperature and humidity measurement functions not only increase the sense of security but also facilitate maintaining a good indoor climate. Monitoring these parameters is particularly important in places where children, elderly people, or allergy sufferers stay. Setting alarms for specific environmental conditions will help maintain optimal comfort and living conditions.

Customization Options

Personalize the settings of the NEO NAS-AB02W TUYA siren to adapt its operation to your needs and preferences. The ability to choose from 8 different alarm signals and set appropriate temperature and humidity levels for alarm activation are just some of the options that allow you to create a security system that meets your requirements.

Telefone: +351962484153

Email: info@mobilemax.pt

(Chamada para rede móvel nacional)

Included in the Package:

Alarm siren

USB cable

Mounting accessories

User manual

∏Manufacturer

∏NEO

□Model

∏NAS-AB02W

□Power Supply

∏Mini USB, 5V/1A

□Backup Power

□CR123A x2 (optional)

☐Sound Intensity

∏100 dB

□Wireless Connection

_ □2.4 GHz

∏Protocol

∏IEEE 802.11b/g/n

□Wireless Network Range

∏45 m

□Operating Temperature

☐from 0°C to 40°C

□Operating Humidity

□from 20% to 85%



□Storage Temperature
□from 0°C to 60°C
□Storage Humidity
□from 0% to 90%
□Certification
□RoHS, FCC, CE

Preço:

Antes: € 16.4943

Agora: € 14.50

Telefone: +351962484153

Email: info@mobilemax.pt

(Chamada para rede móvel nacional)

Casa inteligente, Intelligent Home Control, Elementy wykonacze, Kontrola dostępu