



Flashlight Nitecore TUBE V2.0, 55lm, USB

Ref: 6952506405350

Flashlight Nitecore TUBE V2.0, 55lm, USB

Nitecore Tube V2.0 Flashlight

The Tube V2.0 is a mini flashlight that can accompany you almost anywhere. It will come in handy at home, outdoors and as an emergency light source. Equipped with an LED, it provides a brightness of 55 lumens and its beam angle is 100°. It has a rechargeable battery that provides about 58h of operation on a single charge. You can clip keys and other accessories to it, the maximum load capacity is 35 kg.

Convenient operation

The flashlight is equipped with a single button, with which you can turn it on/off. It is also used to select the operating mode. This way you can adjust the operation of Tube V2.0 to your own needs. The available modes are: low brightness level, high brightness level and momentary light. In addition, it is possible to adjust the brightness.

Efficient battery

The accessory has a built-in rechargeable battery that provides up to 58 hours of use on a single charge. Plus, thanks to APC technology, the flashlight stays in standby mode for up to 365 days.

Safe charging

To renew the power of the accessory, you require about 1.5 hours. To do this, use the USB cable (not included). A blue indicator signals the charging process, when the battery level reaches 100%, the indicator will turn off and the charging process will be automatically completed. In addition, the flashlight has several safety features to protect it: overcharging, over-discharge and short circuit protection.

Compact

The Nitecore Flashlight weighs only 9.6g and its dimensions are 5.6 x 2.1 cm, so storing it will not cause you any problems. In addition, the accessory can be used as a key ring, so you can always have the Tube 2.0 at hand. The maximum carrying capacity of the flashlight is 35 g.

Durable

The flashlight is made of polycarbonate materials, also used in aviation, motorcycle helmets, medical equipment, etc. This makes it durable and resistant to damage. It is also water-resistant to IP65 and drops up to 1 m.

Specification

Brand

Nitecore

Model

Tube 2.0

Charging port

USB

Working time

around 58h

Charging time

around 1.5h

Brightness / lumens

55 lm

Beam angle

100 °

Standby time

up to 365 days

Weight

9.6g

Dimensions

5.6 x 2.1 cm

Modes of operation

low brightness, high brightness, momentary illumination

Brightness adjustment

yes

Material

polycarbonate

Maximum load capacity of the flashlight holder

35 kg

Water resistance
IP65
Drop resistance
to 1m

Preço:

€ 9.50

Outdoor, Flashlights, Other