



IP Camera ZOSI 2 pcs C296 WiFi 5MP & 2 pcs C182 WiFi 8MP + N

Ref: 6941709235741

IP Camera ZOSI 2 pcs C296 WiFi 5MP & 2 pcs C182 WiFi 8MP + NVR 8ch + 2TB HDD

Set of four IP cameras ZOSI C296 WiFi 5MP (2 pcs.) and C182 WiFi 8MP (2 pcs.) + recorder + HDD 2TB

The ZOSI solution provides the highest level of security for your home or business. The set includes four cameras - two ZOSI C296 WiFi with 5MP resolution and two ZOSI C182 WiFi with 8MP resolution. You also gain a recorder and a 2TB HDD. Enjoy peace of mind knowing that your home or business is under constant protection.

High resolution and image quality

The ZOSI C296 and C182 cameras provide exceptional image quality to capture the finest details. The C296 offers 5MP resolution, ensuring clear and detailed images. With 8MP resolution, the C182 camera enables ultra-high resolution 4K monitoring, which is especially useful in large spaces where it is important to capture as much detail as possible.

Excellent visibility even at night

The ZOSI camera set provides excellent visibility both during the day and at night. The C296 camera is equipped with four warm light LEDs and six IR LEDs, which allow visibility of up to 30 meters in total darkness. The C182 uses Starlight technology, which allows it to capture clear images even in very low light, also up to 30 meters. So you can be sure that no activity will escape your attention, regardless of the time of day.

Advanced features for security

Have confidence that an unwanted person will not invade your property unnoticed. ZOSI cameras offer advanced smart monitoring features that greatly enhance security. Motion detection and facial, vehicle and human recognition allow you to be notified immediately of suspicious activity. In addition, the system can sound and light signals when an intruder is detected, effectively deterring potential burglars.

Ease of installation and operation

Installation of ZOSI cameras is simple and intuitive. The recorder supports PoE technology, so one Ethernet cable is enough for power and data transfer. In addition, the ZOSI Smart mobile app allows remote viewing of live video, playback of recordings and management of system settings from anywhere in the world. With two 5dB antennas, the cameras offer wide range and stable signal. You don't have to worry about connection problems. The IEEE802.11b/g/n standard and wide frequency range (2.4GHz ~ 2.4835GHz) guarantee compatibility with most routers on the market.

Recorder and HDD included

The recorder, which is part of the kit, provides reliable storage and management of recordings. With an HDD capacity of 2TB, all important moments will be recorded and stored safely. The recorder supports up to 8 IP channels, allowing for flexible expansion of the surveillance system in the future. In addition, various recording modes, such as manual recording, scheduling and smart recording, allow you to customize the system to meet your individual needs.

Practical additional features

ZOSI cameras also offer a number of advanced additional features to enhance the user experience. 3D noise reduction, dynamic range (WDR) and background compensation ensure excellent image quality in all lighting conditions. The units are also weatherproof, so they can be safely used outdoors. In addition, a remote reset and shutdown function ensures easy system management even in the event of technical problems.

Included:

IP camera ZOSI C296 x2IP Camera ZOSI C182 x28-channel PoE Recorder2TB hard driveEthernet cable x5Power supply for the recorderUSB mouseMounting screwsMounting template x4Warning sticker x4User manual

ManufacturerZOSICAMERA C296Resolution5MPSensor type1/2.7" Progressive Scan CMOSShutterAdaptive shutterLens4.0mm @ F1.6Lens interface typeM12Minimum illumination0LUX (with IR on)IR filterICR typeWarm light4 piecesIR range30 metersCompression standardH.265 Main ProfileCompression bitrateAdaptive mode for HD and SDCompression standardG.711A:Maximum resolution2880x1620, dual-stream supportFrame rate25fps, adaptiveImage modesHD/SD, mirror modePanning speed13°/sHorizontal viewing angle0-355°Vertical viewing angle0-140°AlarmMotion detection, alarm for human detectionIntelligent detectionDetection of vehicles and peopleFunctionsDetection of people, vehicles, soundsSpeakerYesMicrophoneYesMirroringYesPatrollingYesNoise reduction3DDynamic rangeSupport for WDRBackground compensationYesNetwork status indicator1Antenna2x 5dBStandardIEEE802.11b,802.11g,802.11nFrequency range2.4GHz ~ 2.4835GHzThroughput20MHzTransmission speed11b:11Mbps, 11g:54Mbps, 11n:150MbpsMemoryMaximum 128GB (TF card) and cloud storagePower supplyDC12V±10Reset/Off SwitchSupports 8W MAXProtection levelIP66Dimensions179 x 111.8 x 161.8 mmWeight0.514 kgCAMERA C182Resolution8MLens4.0mm @ F1.6, viewing angle 110°Minimum illumination

0.012LuxIR wavelength850nmIR range30 metersCompression standardH.265 Main ProfileMaximum resolution3840 x 2160 (8MP), dual-stream supportCompression bitrateVariableImage settingsBrightness, contrast, sharpness, saturation (adjustable by NVR, application settings)MicrophoneBuilt-inAudio compressionG.711AMotion detectionDetection of people, vehiclesNight modeBlack/white mode, color mode, intelligent night modeWired interface1 RJ45 10M/100M EthernetApplication supportAVSS (PC/MacBook)ProtocolIPv4, TCP, UDP, RTSP, DHCP, NTP, ONVIFPower supplyPOE IEEE 802.3af, DC12VPower consumption6W MAXProtection levelIP66Dimensions225 x 102 x 63 mmWeight0.51kgRECORDERVideo input8 IP channelsVideo output1 VGA, 1 HDMICompression standardH.265 Main ProfileVideo bitrateUp to 8MbpsDual streamSupport for dual-streamPlayback4 channels synchronouslyRecording modesManual, schedule, smart recordingBackup modesRegular, alarmInterface1 SATAProtocolIPv4, UPNP, DHCP, P2P, RTSP, NTP, SNMPMobileAndroid, iOSEmail

notificationsYesPeople detectionYesPush notificationsYesNetwork interface1 RJ45 10M/100/1000M EthernetAudio output3.5MMUSB2x USB
2.0POE portYesPower supplyDC48V/2AEnergy consumption≤96WDimensions300 x 228 x 45 mmWeight≤1.2kg (without hard drive)

Preço:

€ 500.00

Casa inteligente, IP cameras