



Habotest HT124A+ Digital Universal Multimeter

Ref: 5907489609487

Habotest HT124A+ Digital Universal Multimeter

Habotest HT124A+ digital universal multimeter

Habotest HT124A+ digital multimeter is a multifunctional device that will prove useful during electrical work. The product allows you to measure voltage, resistance and many other values. The multimeter has an easy-to-read display that allows you to conveniently read the measurement results, moreover, it is equipped with a flashlight and practical buttons.

Many useful functions

Habotest HT124A+ digital universal multimeter is a handy device that surprises with the enormity of its capabilities. It allows to measure with high precision AC and DC voltage, resistance, continuity or frequency, among others. In addition, it offers a Live Test function, enables non-contact voltage detection (NCV) and much more. Importantly, the multimeter has practical buttons with which you can efficiently select a function.

Well designed

Thanks to its small size (130 x 70 x 23 mm), the device fits well in the hand and provides high comfort. It is powered by two AAA batteries (available for sale separately), which you can easily remove and replace. The soft material housing is pleasant to the touch, plus it provides effective insulation and is drop-resistant.

Included
Digital universal multimeter
Test leads
User's manual
Producer
Hobotest
Model
HT124A+
HT124B+
DC voltage measurement range
400mV/4V/40V/400V/600V
400mV/4V/40V/400V/600V
AC voltage measurement range
4V/40V/400V/600V
4V/40V/400V/600V
Resistance measurement range
400 Ω /4k Ω /40k Ω /400k Ω /4M Ω /40M Ω
400 Ω /4k Ω /40k Ω /400k Ω /4M Ω /40M Ω
Capacitance measurement range
-
4nF/40nF/400nF/4 μ F/40 μ F/400 μ F/4mF
Frequency measurement range
4Hz/40Hz/400Hz/4kHz/40kHz
4Hz/40Hz/400Hz/4kHz/40kHz/400kHz/4MHz
Live Test
Yes, sound and light alarm
Yes, sound and light alarm
NCV
Yes, sound and light alarm
Yes, sound and light alarm
Diode testing
-
Yes, 0~2V
Continuity
<50 Ω
<50 Ω
Number of counts
4000
4000
Data storage
Yes
Yes
True RMS value
Yes
Yes
Low battery indicator
Yes
Yes

Automatic power off function

Yes

Yes

Illumination

Yes

Yes

Flashlight

Yes

Yes

Power supply

2x battery 1.5V AAA

2x battery 1.5V AAA

Safety

EN61010-1, CAT III 600V

EN61010-1, CAT III 600V

Weight

125 g

125 g

Dimensions

130 x 70 x 23 mm

130 x 70 x23 mm

Preço:

Antes: € 19.0035

Agora: € 17.99

Ferramentas, Measuring tools, Electric meters