



## Hobotest HT127B Digital Universal Multimeter

Ref: 5907489609425

Hobotest HT127B Digital Universal Multimeter

Hobotest HT127B digital universal multimeter

Hobotest HT127B digital multimeter is a multifunctional device that will prove useful during electrical work. The product allows you to measure voltage, resistance, capacitance and many other parameters. The multimeter has an easy-to-read display that allows you to conveniently read the measurement results, plus it is equipped with a flashlight and practical buttons.

Many useful functions

Hobotest HT127B digital universal multimeter is a handy device that surprises with the enormity of its capabilities. It allows you to measure with high precision AC and DC voltage and current, resistance, temperature or capacitance, among others. In addition, it offers a Live Test function, enables diode testing, non-contact voltage detection (NCV) and much more. Importantly, the multimeter has practical buttons with which you can efficiently select a function.

Well designed

Thanks to its small size (71.5 x 26 x 145 mm), the device fits well in the hand and provides high comfort. It is powered by four AAA batteries, which you can easily remove and replace. The soft material case is pleasant to the touch, plus it provides effective insulation and is drop-resistant.

Included  
Digital universal multimeter  
Test leads  
User's manual  
Manufacturer  
Habotest  
Model  
HT127B  
DC voltage measurement range  
600mV/6V/60V/600V  
AC voltage measurement range  
6V/60V/600V  
DC current measurement range  
600mA/ 10A  
AC current measurement range  
600mA/ 10A  
Resistance measurement range  
600 $\Omega$ /6k $\Omega$ /60k $\Omega$ /600k $\Omega$ /6M $\Omega$ /60M $\Omega$   
Capacitance measurement range  
6nF/60nF/600nF/6 $\mu$ F/60 $\mu$ F/600 $\mu$ F/6mF  
Frequency measurement range  
60Hz/600Hz/6kHz/60kHz/600kHz/6MHz/10MHz  
Fill factor measurement range  
1.0~99.0%  
Temperature ( $^{\circ}$ C/ $^{\circ}$ F)  
-40 $^{\circ}$ C ~ 1000 $^{\circ}$ C / -40 $^{\circ}$ F ~ 1832 $^{\circ}$ F  
Diode testing  
Yes, 0~3V  
NCV  
Yes, audible and light alarm  
Live test  
Yes, audible and light alarm  
Continuity  
<50 $\Omega$   
Number of counts  
6000  
Display  
VA  
Data storage  
Yes  
True RMS value  
Yes  
Blown fuse indication function  
Yes  
Low battery indicator  
Yes  
Automatic power off  
Yes

Jack input port indicator

Yes

Backlighting

Yes

Flashlight

Yes

Power supply

4x 1.5V AAA battery

Safety

EN61010-1, CAT III 600V

Dimensions

145 x 71.5 x 26 mm

Preço:

**€ 35.01**

Ferramentas, Measuring tools, Electric meters